

## LMES

Dimensions in mm.  
Other types available on request.


**Material:** SUS440c



## General Data

| Designation | Dynamic Load Capacity (N) | Static Load Capacity (N) | Number Of Ball Rows |
|-------------|---------------------------|--------------------------|---------------------|
| LMES8UU     | 270                       | 410                      | 4                   |
| LMES12UU    | 520                       | 790                      | 4                   |
| LMES16UU    | 590                       | 910                      | 5                   |
| LMES20UU    | 880                       | 1400                     | 5                   |
| LMES25UU    | 1000                      | 1600                     | 6                   |
| LMES30UU    | 1600                      | 2800                     | 6                   |
| LMES40UU    | 2200                      | 4000                     | 6                   |

## Dimensions



| Designation | I  | D  | L  | W    | B    | O    |
|-------------|----|----|----|------|------|------|
| LMES8UU     | 8  | 16 | 25 | 1.1  | 16.5 | 15.2 |
| LMES12UU    | 12 | 22 | 32 | 1.3  | 22.9 | 21   |
| LMES16UU    | 16 | 26 | 36 | 1.3  | 24.9 | 24.9 |
| LMES20UU    | 20 | 32 | 45 | 1.6  | 31.5 | 30.3 |
| LMES25UU    | 25 | 40 | 58 | 1.85 | 44.1 | 37.5 |
| LMES30UU    | 30 | 47 | 68 | 1.85 | 52.1 | 44.5 |
| LMES40UU    | 40 | 62 | 80 | 2.15 | 60.6 | 59   |